

How to handle email bounces in Mautic

A bounce is the mail system telling you an email couldn't be delivered. Handling bounces well keeps your list clean, protects your sender reputation and stops you mailing people who can never receive your messages. Mailbox providers see repeated sending to dead addresses as a sign of poor list care, so this one matters!

This guide covers how to read bounce codes and how to make sure bounces get back into Mautic.

Soft bounces and hard bounces

Most bounces include a three-part code like 5.1.1. The format comes from [RFC 3463](#), and the first number tells you the most important thing.

- **4.x.x is a soft bounce.** Something temporary got in the way, like a full mailbox or a busy server. Your email service will usually retry.
- **5.x.x is a hard bounce.** It's permanent, and sending again won't help.

The codes you'll see most

Code	What it means	What to do
5.1.1	The mailbox doesn't exist	Stop mailing this address
5.1.2	The domain can't receive email, often a typo like gmial.com	Stop mailing this address
4.2.2	Mailbox full	Retry, and stop if it keeps happening
4.4.x	Network or connection trouble	Usually sorts itself out

5.7.1	Refused for policy reasons, often called a block bounce	Don't remove the contact, investigate why
4.7.x or 5.7.x from Gmail	Your email doesn't meet Gmail's sender requirements (Google, n.d.)	Fix authentication or unsubscribe headers

Based on information from [RFC 3463](#) and Google.

That 5.7.x row is the one that you need to investigate more deeply. A policy block is a 5, so it *looks* like a hard bounce, but it's about you, not the recipient. If one provider suddenly starts returning 5.7.1 for lots of contacts, removing them all hides the real problem. Read the text that comes with the code, as providers often include a link explaining the block. Check whether your domain or sending IP address is on a blocklist (MXToolbox has a free checker), and see [*How to meet Gmail, Yahoo and Microsoft sender requirements with Mautic*](#).

Getting bounces back into Mautic

Mautic marks bounced contacts as **Do Not Contact** for email, so they drop out of future sends. For that to happen, the bounce has to reach Mautic. There are two ways.

Option 1. Webhooks from your email service (recommended)

Most email services (Amazon SES, SendGrid, Mailgun, Brevo and others) can send bounce and complaint notifications back to Mautic automatically. Check the documentation for the Mautic transport or plugin you use, set up the callback or webhook URL it gives you at your email service, and turn on bounce and complaint events.

This is the most reliable option, because some services replace the return path with their own address, so bounce emails never reach your inbox. The Mautic documentation calls out Gmail and Amazon SES as examples.

Option 2. A monitored inbox

Mautic can read a mailbox over IMAP and pick up bounce messages.

1. Create a mailbox for bounces, such as bounces@yourdomain.com.
2. In Mautic, go to **Settings > Configuration > Email Settings** and fill in the **Monitored Inbox Settings** with the IMAP details.
3. Set the bounce folder to watch.
4. Set up a cron job to run the fetch command regularly.

```
php /path/to/mautic/bin/console mautic:email:fetch
```

Mautic uses an address like bounces+bounce_abc123@yourdomain.com as the return path, so when a bounce comes back it knows which email and contact it belongs to (Mautic, n.d.).

Test it

Send a Mautic email to an address you know doesn't exist on a domain you control, then wait a few minutes and check that contact in Mautic. It should be marked as Do Not Contact with a bounced reason. It's the only way to be sure the whole chain works!

Good habits

- **Watch your bounce rate for each send.** A sudden jump usually means an old segment, a bad import, or a block at one provider.
- **Look at bounces by domain.** Lots of 5.7.1 from one provider points

to a reputation or authentication problem there, not a list problem.

- **Stop bad addresses getting in.** Double opt-in on your Mautic forms catches typos before they reach your list.
- **Be careful with imports.** Old or bought lists are full of dead addresses and spam traps. Clean them before importing, or better still, don't import them at all.

Over to you

How are you getting bounces back into Mautic, webhooks or a monitored inbox? I'd love to hear which setups have worked well for you, so we can share them with the wider community.

References

Google *Email sender guidelines FAQ*. Gmail Help. Available at <https://support.google.com/mail/answer/14229414?hl=en-GB> (Accessed 26 October 2026).

Mautic *Emails* (Mautic user documentation, 5.x). Available at <https://docs.mautic.org/en/7.2/channels/emails.html> (Accessed 26 October 2026).

Vaudreuil, G. (2003) *Enhanced mail system status codes*. RFC 3463. Internet Engineering Task Force. Available at <https://datatracker.ietf.org/doc/html/rfc3463> (Accessed 26 October 2026).

Online URL:

<https://kb.mautic.org/article/how-to-handle-email-bounces-in-mautic.html>